
- ₹ 13

Amendment dated December 22, 2005 Atty Dkt No. 1950-0001 Client No. CIT-3113 Serial No.: 10/091,372

Exhibit B

	A service of the National Library of Medicine and the National Institutes of Health		
S NCBI	[Sign In] [Register]		
	PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Books		
Search PubMed	for tetracyclic terpene Go Clear		
	Limits Preview/Index History Clipboard Details		
About Entrez NCBI Toolbar	Note: Performing your original search, tetracyclic terpene, in PubMed will		
Text Version	retrieve <u>131 citations</u> .		
Entrez PubMed Overview Help FAQ Tutorials New/Noteworthy	Display Abstract Show 20 Sort by Send to All: 1 Review: 0		
E-Utilities	1: J Org Chem. 2003 Aug 22;68(17):6611-8. Related Articles, Links		
PubMed Services Journals Database	ACS PUBLICATIONS HIGH QUALITY, HIGH IMPACT.		
MeSH Database Single Citation Matcher Batch Citation Matcher	Photochemical access to tetra- and pentacyclic terpene-like products from R-(+)-sclareolide.		
Clinical Queries Special Queries LinkOut My NCBI	de la Torre MC, Garcia I, Sierra MA.		
Related Resources Order Documents	Instituto de Quimica Organica, Consejo Superior de Investigaciones Cientificas (CSIC), Juan de la Cierva 3, 28006-Madrid, Spain.		
NLM Mobile NLM Catalog NLM Gateway TOXNET Consumer Health Clinical Alerts ClinicalTrials.gov PubMed Central	Fused tetracyclic oxetanes 4, highly substituted cyclobutenes 6, and the pentacyclic derivatives 7 and 8 were obtained by irradiation of derivatives 3 that were prepared from commercial R-(+)-sclareolide (1) in three steps. Compounds 4 are formed through a Paterno-Buchi reaction, while tricyclic derivatives 6 are the fragmentation products of the first formed oxetanes. In clear contrast, cyclopentenyl and 3-furyl derivatives, 3e and 3f, gave the [2+2] adducts, namely pentacyclic derivatives 7 and 8. All the reported reactions are totally regio- and stereoselective, with the exception of the cyclization of furyl derivative 3f, which gave the mixture of both the crossed (7b) and the right (8) isomers. PMID: 12919024 [PubMed - indexed for MEDLINE]		
	Display Abstract Show 20 Sort by Send to		
	Write to the Help Desk NCBI NLM NIH Department of Health & Human Services Privacy Statement Freedom of Information Act Disclaimer		

Dec 6 2005 04:49:05



PMID: 14624092 [PubMed - indexed for MEDLINE] **9:** Liu X, Sahud MA. Related Articles, Links Glycoprotein IIb/IIIa complex is the target in mirtazapine-induced immune thrombocytopenia. Blood Cells Mol Dis. 2003 May-Jun; 30(3):241-5. PMID: 12737939 [PubMed - indexed for MEDLINE] 10: Banas A, Januszkiewicz-Grabias A, Radziwillowicz P, Smoczynski Related Articles, Links [Follow-up study of quality of life and treatment of eating disorder: dynamics of the depressive and anxiety symptoms] Psychiatr Pol. 2002 Nov-Dec;36(6 Suppl):323-9. Polish. PMID: 12647456 [PubMed - indexed for MEDLINE] 11: Moody JD, Freeman JP, Fu PP, Cerniglia CE. Related Articles, Links Biotransformation of mirtazapine by Cunninghamella elegans. Drug Metab Dispos. 2002 Nov;30(11):1274-9. PMID: 12386135 [PubMed - indexed for MEDLINE] 12: Marthi K, Bender D, Gjedde A, Smith DF. Related Articles, Links [11C]Mirtazapine for PET neuroimaging: radiosynthesis and initial evaluation in the living porcine brain. Eur Neuropsychopharmacol. 2002 Oct; 12(5):427-32. PMID: 12208560 [PubMed - indexed for MEDLINE] ☐ **13**: Namera A. Related Articles, Links [Practical analysis of toxic substances useful of clinical toxicology -2- tricyclic and tetracyclic antidepressants Chudoku Kenkyu. 2002 Apr;15(2):187-90. Review. Japanese. No abstract available. PMID: 12108019 [PubMed - indexed for MEDLINE] 14: Brachtendorf L, Jetter A, Beckurts KT, Holscher AH, Fuhr U. Related Articles, Links Cytochrome P450 enzymes contributing to demethylation of maprotiline in man. Pharmacol Toxicol. 2002 Mar;90(3):144-9. PMID: 12071336 [PubMed - indexed for MEDLINE] **15:** Obata T. Related Articles, Links Semicarbazide-sensitive amine oxidase (SSAO) in the brain. Neurochem Res. 2002 Apr;27(4):263-8. Review. PMID: 11958526 [PubMed - indexed for MEDLINE] 16: Marthi K, Bender D, Watanabe H, Smith DF. Related Articles, Links PET evaluation of a tetracyclic, atypical antidepressant, [N-methyl-11C]mianserin, in the living porcine brain. Nucl Med Biol. 2002 Apr;29(3):317-9. PMID: 11929701 [PubMed - indexed for MEDLINE] 17: Hernandez JL, Ramos FJ, Infante J, Rebollo M, Gonzalez-Macias J. Related Articles, Links Severe serotonin syndrome induced by mirtazapine monotherapy. Ann Pharmacother. 2002 Apr;36(4):641-3. PMID: 11918514 [PubMed - indexed for MEDLINE]

18: Jolliet P, Veyrac G, Bourin M.

Related Articles, Links

	First report of mirtazapine-induced arthralgia. Eur Psychiatry. 2001 Dec;16(8):503-5. PMID: 11777743 [PubMed - indexed for MEDLINE]			
19:	Lentini S, Rao ML, Schroder R, Luderitz B, Bauriedel G.	Related Articles,	Links	
	[QT prolongation and torsade de pointes tachycardia during therapy with maprotiline. Differential diagnostic and therapeutic aspects] Dtsch Med Wochenschr. 2001 Dec 7;126(49):1396-400. German. PMID: 11740632 [PubMed - indexed for MEDLINE]			
20:	Koyama T, Inoue T.	Related Articles,	Links	
	[Tricyclic antidepressant, tetracyclic antidepressant] Nippon Rinsho. 2001 Aug;59(8):1513-7. Review. Japanese. No abstract available. PMID: 11519150 [PubMed - indexed for MEDLINE]			
	Items 1 - 20 of 223	of 12	Next	
Display	Summary Show 20 Sort by Send to	7 2 2		

Write to the Help Desk

NCBI | NLM | NIH

Department of Health & Human Services

Privacy Statement | Freedom of Information Act | Disclaimer

Dec 6 2005 04:49:05

Introduction to Organic Chemistry

FOURTH EDITION

ANDREW STREITWIESER

UNIVERSITY OF CALIFORNIA, BERKELEY

CLAYTON H. HEATHCOCK UNIVERSITY OF CALIFORNIA, BERKELEY

EDWARD M. KOSOWER
TEL AVIV UNIVERSITY

MACMILLAN PUBLISHING COMPANY
NEW YORK

MAXWELL MACMILLAN CANADA TORONTO


MAXWELL MACMILLAN INTERNATIONAL

NEW YORK OXFORD SINGAPORE SYDNEY

FCT AVAILABLE COPY



SEC. 36.5 Natural Products: Terpenes, Steroids, and Alkaloids







FIGURE 36.4 Stereo structure of longifolene hydrochloride. Note that hydrogens are not shown. [Reproduced with permission from *Molecular Structure and Dimensions*, International Union of Crystallography, 1972.]

Synthetic routes to the simpler terpenes are now available, but many of the more complex polycyclic terpenes provide synthetic challenges that intrigue present-day synthetic research chemists.

EXERCISE 36.14 Locate the isoprene units in menthol, β -pinene, camphor, β -santalol, copaene, guaiol, abietic acid, β -amyrin, and longifolene. Note that nootkatone cannot be dissected into three isoprene units. In fact, it has been shown that this sesquiterpene is biosynthesized by a route that involves a 1,2-alkyl rearrangement.

B. Steroids

Steroids are tetracyclic natural products that are related to the terpenes in that they are biosynthesized by a similar route. An important example is cholesterol, the major component of human gall stones (Gk., *chole*, bile).



cholesterol

Actually, cholesterol is present in some amount in all normal animal tissues, but it is concentrated in the brain and in the spinal cord. The total amount present in a 180 lb person is 240 g, about 0.5 lb! It is present partly as the free alcohol and partly esterified with fatty acids.

The structure of cholesterol illustrates the basic steroid skeleton, which is that of a hydrogenated 1,2-cyclopentenophenanthrene having two methyl substituents at C-10 and C-13 and an additional side chain at C-17. The stereochemistry at the various stereocenters is almost invariably that shown, and in subsequent examples we will not indicate stereochemistry unless it differs from the usual.

general steroid ring structure